

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	159	(370/241,242,244,247,249-253. CCLS.) AND ((pbx OR ip-pbx OR ip/pbx OR ippbx OR (ip NEAR pbx))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 13:53
S2	497	(370/241,242,244,247,249-253. CCLS.) AND ((two NEAR link) OR ((first OR 1st) NEAR (link OR path OR connection)) AND ((second OR 2nd) NEAR (link OR path OR connection))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 13:54
S3	352	(370/241,242,244,247,249-253. CCLS.) AND ((two NEAR link) OR ((first OR 1st) NEAR (link OR connection)) AND ((second OR 2nd) NEAR (link OR connection))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 13:55
S4	304	(370/241,242,244,247,249-253. CCLS.) AND ((two NEAR link) OR ((first OR 1st) NEAR (link OR connection)) SAME ((second OR 2nd) NEAR (link OR connection))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 14:00
S5	2997	(370/241,242,244,247,249-253. CCLS.) AND ((control\$4 OR manag\$3 OR monitor\$3 OR test\$3) SAME (switch OR router OR node OR ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx OR pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 09:27
S6	196	S5 AND ((asynchronous OR ascii OR tty OR kermit OR xmodem OR atm) SAME ethernet)	US-PGPUB; USPAT	OR	ON	2007/07/20 14:13
S7	0	S5 AND (((asynchronous OR ascii OR tty OR kermit OR xmodem OR atm) NEAR (status OR health)) AND (ethernet NEAR administrat\$3))	US-PGPUB; USPAT	OR	ON	2007/07/20 14:26
S8	2	S5 AND (((asynchronous OR ascii OR tty OR kermit OR xmodem OR atm) SAME (status OR health)) AND (ethernet SAME administrat\$3))	US-PGPUB; USPAT	OR	ON	2007/07/20 14:15
S9	16	(370/241,242,244,247,249-253. CCLS.) AND (((asynchronous OR ascii OR tty OR kermit OR xmodem OR atm) NEAR (link OR connection)) AND (ethernet NEAR (link OR connection))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 10:25

EAST Search History

S10	100	(370/247,251.CCLS.) AND ((control\$4 OR manag\$3 OR monitor\$3 OR test\$3) SAME (switch OR router OR node OR ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx OR pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:43
S11	657	(370/241,242,244,247,249-253. CCLS.) AND (((control OR manag\$3 OR monitor\$3 OR test\$3) NEAR (unit OR component OR node)) SAME (switch OR router OR node OR ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx OR pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 15:32
S12	0	(370/241,242,244,247,249-253. CCLS.) AND ((session NEAR (control\$3 OR manag\$3 OR monitor\$3 OR test\$3 OR component OR unit OR module)) AND (conver\$4 NEAR (module OR unit OR component)) AND (manag\$5 NEAR (module OR unit OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 15:13
S13	48	(370/241,242,244,247,249-253. CCLS.) AND ((session NEAR (control\$3 OR manag\$3 OR monitor\$3 OR test\$3 OR component OR unit OR module)) AND (conver\$4) AND (manag\$5)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 15:18
S14	3	(709/223-226.CCLS.) AND ((session NEAR (control\$3 OR manag\$3 OR monitor\$3 OR test\$3 OR component OR unit OR module)) AND (conver\$4 NEAR (module OR unit OR component)) AND (manag\$5 NEAR (module OR unit OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 15:13
S15	265	(709/223-226.CCLS.) AND ((session NEAR (control\$3 OR manag\$3 OR monitor\$3 OR test\$3 OR component OR unit OR module)) AND (conver\$4) AND (manag\$5)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 15:19

EAST Search History

S16	240	("370"/\$.CCLS.) AND (((serial OR asynchronous OR ascii OR tty OR kermi OR xmodem OR atm) NEAR (link OR connection OR communication OR backup OR (back NEAR up)))) SAME ((ethernet OR ip) NEAR (link OR connection OR communication OR backup OR (back NEAR up)))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/20 15:36
S17	2	PCT/US99/27969	US-PGPUB; USPAT	OR	ON	2007/07/23 08:15
S18	0	PCTUS9927969	US-PGPUB; USPAT	OR	ON	2007/07/23 08:15
S19	0	"9927969"	US-PGPUB; USPAT	OR	ON	2007/07/23 08:15
S20	15	(US-20050036451-\$ or US-20020105911-\$ or US-20060164988-\$ or US-20060023741-\$ or US-20060008063-\$ or US-20070041330-\$ or US-20050053001-\$ or US-20010025306-\$ or US-20020101823-\$ or US-20020133584-\$ or US-20060187954-\$).did. or (US-7142512-\$ or US-7212545-\$ or US-7212496-\$ or US-7016340-\$). did.	US-PGPUB; USPAT	OR	ON	2007/07/23 09:20
S21	0	S20 AND (ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx OR pbx)	US-PGPUB; USPAT	OR	ON	2007/07/23 11:01
S22	85	(370/241,242,244,247,249-253. CCLS.) AND ((control\$4 OR manag\$3 OR monitor\$3 OR test\$3) SAME (ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx OR pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 09:27
S23	1	(370/241,242,244,247,249-253. CCLS.) AND ((control\$4 OR manag\$3 OR monitor\$3 OR test\$3) SAME (ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 09:28
S24	1	(370/241,242,244,247,249-253. CCLS.) AND ((ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 09:28

EAST Search History

S25	0	(370/410.CCLS.) AND ((ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 09:29
S26	36	("370"/\$.CCLS.) AND ((ip-pbx OR (1p NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 16:22
S27	1	(370/241,242,244,247,249-253.CCLS.) AND (((asynchronous OR ascii OR tty OR kermit OR xmodem) NEAR (link OR connection)) AND (ethernet NEAR (link OR connection))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:34
S28	470	(370/241,242,244,247,249-253,410.CCLS.) AND (((asynchronous OR ascii OR tty OR kermit OR xmodem)) AND (ethernet)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 11:27
S29	44585	("370"/\$.CCLS.) AND ((uninterruptible NEAR power NEAR Supply) OR ups) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 10:59
S31	2	(370/241,242,244,247,249-253,410.CCLS.) AND (((uninterruptible NEAR power NEAR supply) OR ups) SAME (ip-pbx OR (ip NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:02
S32	0	("370"/\$.CCLS.) AND ((uninterruptible NEAR power NEAR supply) SAME (ip-pbx OR (ip NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:03
S33	0	("370"/\$.CCLS.) AND ((uninterruptible NEAR power NEAR supply) AND (ip-pbx OR (ip NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:03
S34	0	("370"/\$.CCLS.) AND (((uninterruptible NEAR power NEAR (supply OR supplies)) or ups) AND (ip-pbx OR (ip NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	OFF	2007/07/23 11:05
S35	3	((uninterruptible NEAR power NEAR (supply OR supplies)) or ups) AND (ip-pbx OR (ip NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	OFF	2007/07/23 11:04

EAST Search History

S36	792	("370"/\$.CCLS.) AND ((uninterruptible NEAR power NEAR (supply OR supplies)) or ups) AND @ad<"20031205"	US-PGPUB; USPAT	OR	OFF	2007/07/23 11:07
S37	39	("370"/\$.CCLS.) AND (uninterruptible NEAR power NEAR supply) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:31
S38	0	("370"/\$.CCLS.) AND ((uninterruptible NEAR power NEAR supply) SAME (asynchronous NEAR (link OR connection))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:09
S39	293	((asynchronous OR ascii OR tty OR kermi OR xmodem) AND (ethernet NEAR driver)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:35
S40	89	("370"/\$.CCLS.) AND ((asynchronous OR ascii OR tty OR kermi OR xmodem) AND (ethernet NEAR driver)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:36
S41	8	("370"/\$.CCLS.) AND (((asynchronous OR ascii OR tty OR kermi OR xmodem) NEAR (link OR connection)) AND (ethernet NEAR driver)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:14
S42	186	("370"/\$.CCLS.) AND (ethernet NEAR driver) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:47
S43	3	("370"/\$.CCLS.) AND ((ethernet NEAR driver) AND (serial NEAR driver)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 11:48
S44	1027	("370"/\$.CCLS.) AND ((conver\$4) AND (session) AND (driver) AND (manag\$5)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:19
S45	457	("370"/\$.CCLS.) AND ((converter OR (conver\$4 NEAR (unit OR module OR component))) AND ((session OR link OR connection) NEAR (control\$4 OR manag\$3 OR supervi\$5 OR unit OR module OR component)) AND (driver) AND ((manag\$5 OR supervi\$5 OR control\$4) NEAR (unit OR module OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:24

EAST Search History

S46	301	("370"/\$.CCLS.) AND ((converter OR (conver\$4 ADJ (unit OR module OR component))) AND ((session OR link OR connection) ADJ (control\$4 OR manag\$3 OR supervi\$5 OR unit OR module OR component)) AND (driver) AND ((manag\$5 OR supervi\$5 OR control\$4) ADJ (unit OR module OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:26
S47	158	("370"/\$.CCLS.) AND ((converter OR (conver\$4 ADJ (module OR component))) AND ((session OR link OR connection) ADJ (control\$4 OR manag\$3 OR supervi\$5 OR module OR component)) AND (driver) AND ((manag\$5 OR supervi\$5 OR control\$4) ADJ (module OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:28
S48	13	("370"/\$.CCLS.) AND ((converter OR (conver\$4 ADJ (module OR component))) AND ((session OR link OR connection) ADJ (controller OR manager OR supervisor OR module OR component)) AND (driver) AND ((manager OR supervisor OR controller) ADJ (module OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 14:52
S49	2	("370"/\$.CCLS.) AND (((converter OR (conver\$4 ADJ (module OR component))) NEAR protocol) AND ((session OR link OR connection) ADJ (controller OR manager OR supervisor OR module OR component)) AND (driver) AND ((manager OR supervisor OR controller) ADJ (module OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:44
S50	3749	("370"/\$.CCLS.) AND ((control\$4 OR manag\$3 OR monitor\$3 OR test\$3) SAME (protocol) SAME (conver\$4)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:43
S51	1103	("370"/\$.CCLS.) AND ((protocol NEAR conver\$4) AND (controller OR manager OR supervisor)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:50
S52	8	("370"/\$.CCLS.) AND ((determin\$3 NEAR protocol NEAR conver\$4)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 12:58

EAST Search History

S53	1642	("370"/\$.CCLS.) AND ((protocol NEAR conver\$4)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 13:07
S54	18	("370"/\$.CCLS.) AND (conver\$4 NEAR (unnecesary OR bypass\$4)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 13:48
S55	630	((emergency OR "911" OR 9-1-1) SAME (handset OR cellular OR cell OR wireless OR voip) SAME ((direction OR location).NEAR (determin\$5 OR find\$3 OR calculat\$3))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 13:56
S56	3828	((emergency OR "911" OR 9-1-1) SAME (handset OR cellular OR cell OR wireless OR voip) SAME (locat\$3)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 13:55
S57	152	((emergency OR "911" OR 9-1-1) SAME (handset OR cellular OR cell OR wireless OR voip) SAME (locater OR locator)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 13:55
S58	98	S55 AND ((psap OR (public NEAR safety NEAR awareness NEAR point)) AND (extension OR number) AND (identification))	US-PGPUB; USPAT	OR	ON	2007/07/24 14:10
S59	27	("370"/\$.CCLS.) AND (((session) ADJ (controller OR manager OR supervisor OR module OR component)) AND ((manager OR supervisor OR controller) ADJ (module OR component))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 15:06
S60	1	("370"/\$.CCLS.) AND (((session) ADJ (controller OR manager OR supervisor OR module OR component)) AND ((manager OR supervisor OR controller) ADJ (module OR component)) AND (ethernet NEAR driver)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 15:07
S61	25	("370"/\$.CCLS.) AND (filter AND (packet NEAR (select\$3 OR analysis OR analyz\$3)) AND type AND session AND address AND loss AND jitter AND (latency OR latency OR latency OR latency)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 16:45
S62	291	("370"/\$.CCLS.) AND (packet AND filter).AB,TI. AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 16:48

EAST Search History

S63	0	("370"/\$.CCLS.) AND ((packet NEAR filter) SAME (netowrk NEAR performance)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 16:49
S64	2	("370"/\$.CCLS.) AND ((packet NEAR filter) SAME (network NEAR performance)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/23 16:49
S65	5140	("370"/\$.CCLS.) AND (select\$5 NEAR (connect\$3 OR coupl\$3)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 08:40
S66	249	("370"/\$.CCLS.) AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3) NEAR (probe OR node OR server OR terminal OR controller)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 08:47
S67	24	(US-20020101823-\$ or US-20060164988-\$ or US-20050036451-\$ or US-20070041330-\$ or US-20020105911-\$ or US-20060023741-\$ or US-20040105391-\$ or US-20020133584-\$ or US-20060008063-\$ or US-20050053001-\$ or US-20010025306-\$ or US-20060187954-\$ or US-20030161324-\$).did. or (US-7016340-\$ or US-7142512-\$ or US-7221650-\$ or US-7212545-\$ or US-7212496-\$ or US-6937572-\$ or US-6870835-\$ or US-6034970-\$ or US-6381321-\$ or US-6538656-\$ or US-5067125-\$).did.	US-PGPUB; USPAT	OR	ON	2007/07/24 08:41
S68	1	S67 AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3))	US-PGPUB; USPAT	OR	ON	2007/07/24 08:41
S69	25	(370/241,242,244,247,249-253,410.CCLS.) AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3) NEAR (probe OR node OR server OR terminal OR controller)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 08:48
S70	491	(370/241,242,244,247,249-253,410.CCLS.) AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 09:15

EAST Search History

S71	234	("370"/\$.CCLS.) AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3) NEAR (either OR among OR between)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 08:50
S72	100	("370"/\$.CCLS.) AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3) NEAR (either)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 08:51
S73	5	(370/241,242,244,247,249-253,410.CCLS.) AND ((select\$5 OR activa\$3) NEAR (connect\$3 OR coupl\$3) NEAR (either)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:29
S74	1	"6359976".PN.	US-PGPUB; USPAT	OR	ON	2007/07/24 09:15
S75	1	(370/241,242,244,247,249-253,410.CCLS.) AND (((access NEAR (node OR card)) OR gateway) NEAR (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3))) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:32
S76	2	("370"/\$.CCLS.) AND (((access NEAR (node OR card)) OR gateway) NEAR (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3))) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:33
S77	6	(((access NEAR (node OR card)) OR gateway) NEAR (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3))) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:48
S78	84	(((access NEAR (node OR card)) OR gateway) NEAR (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:38
S79	0	(((access NEAR (node OR card)) OR gateway) NEAR (re-start\$3 OR (re NEAR start\$3) OR re-boot\$3 OR (re NEAR boot\$3))) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:47
S80	102	(((access NEAR (node OR card)) OR gateway) SAME (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3))) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:39

EAST Search History

S81	49	("370"/\$.CCLS.) AND (((access NEAR (node OR card)) OR gateway) SAME (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3)) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:39
S82	1	(((((access NEAR (node OR card)) OR gateway) NEAR (reinitial\$5)) SAME (error OR alert)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:43
S83	1	(((((access NEAR (node OR card)) OR gateway) NEAR (reinitial\$5)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:43
S84	10	(((((access NEAR (node OR card)) OR gateway) NEAR (restart\$3 OR (re NEAR start\$3) OR reboot\$3 OR (re NEAR boot\$3))) SAME (problem OR trouble OR limit OR fail\$3 OR collaps\$3)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 10:50
S85	-37	(370/241,242,244,247,249-253,410. CCLS.) AND ((loopback OR (loop NEAR back) OR (loop-back)) NEAR condition) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 11:35
S86	10	(370/241,242,244,247,249-253,410. CCLS.) AND (((loopback OR (loop NEAR back) OR (loop-back)) NEAR condition) AND alarm) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 11:33
S87	1	(370/241,242,244,247,249-253,410. CCLS.) AND (((loopback OR (loop NEAR back) OR (loop-back)) NEAR condition) AND (T1 NEAR alarm)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 11:35
S88	1	"7032129".PN.	US-PGPUB; USPAT	OR	ON	2007/07/24 12:06
S89	1	("370"/\$.CCLS.) AND (uninterruptible NEAR power NEAR supply).TI,AB. AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:39
S90	229	((("713"/\$.CCLS.) OR ("307"/\$.CCLS.)) AND (uninterruptible NEAR power NEAR supply).TI,AB. AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:38
S91	1	((("713"/\$.CCLS.) OR ("307"/\$.CCLS.)) AND ("370"/\$.CCLS.)) AND (uninterruptible NEAR power NEAR supply).TI,AB. AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:38

EAST Search History

S92	2	((("713"/\$.CCLS.) OR ("307"/\$.CCLS.)) AND ("370"/\$.CCLS.)) AND (uninterruptible NEAR power NEAR supply) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:39
S93	2	("370"/\$.CCLS.) AND (delay\$3 AND (imminent NEAR power NEAR (failure OR outage))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:43
S94	4	("713"/\$.CCLS.) AND (delay\$3 AND (imminent NEAR power NEAR (failure OR outage))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:48
S95	0	("307"/\$.CCLS.) AND (delay\$3 AND (imminent NEAR power NEAR (failure OR outage))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:43
S96	4	("713"/\$.CCLS.) AND (delay\$3 AND (imminent NEAR (power OR battery) NEAR (failure OR outage OR loss))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:48
S97	2	("370"/\$.CCLS.) AND (delay\$3 AND (imminent NEAR (power OR battery) NEAR (failure OR outage OR loss))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:49
S98	2	("370"/\$.CCLS.) AND (imminent NEAR (power OR battery) NEAR (failure OR outage OR loss)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:49
S99	1435	("370"/\$.CCLS.) AND ((power OR battery) NEAR (failure OR outage OR loss)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:50
S10 0	33	("370"/\$.CCLS.) AND (((power OR battery) NEAR (failure OR outage OR loss)) SAME (shutdown OR (shut\$4 NEAR down))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:53
S10 1	0	("370"/\$.CCLS.) AND (((power OR battery) NEAR (failure OR outage OR loss)) SAME (delay\$3 NEAR (shutdown OR (shut\$4 NEAR down)))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:53
S10 2	0	("370"/\$.CCLS.) AND (((power OR battery) NEAR (failure OR outage OR loss)) AND (delay\$3 NEAR (shutdown OR (shut\$4 NEAR down)))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:54

EAST Search History

S10 3	7	("713"/\$.CCLS.) AND (((power OR battery) NEAR (failure OR outage OR loss)) AND (delay\$3 NEAR (shutdown OR (shut\$4 NEAR down)))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:54
S10 4	5	("307"/\$.CCLS.) AND (((power OR battery) NEAR (failure OR outage OR loss)) AND (delay\$3 NEAR (shutdown OR (shut\$4 NEAR down)))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 12:57
S10 5	630	((emergency OR "911" OR 9-1-1) SAME (handset OR cellular OR cell OR wireless OR voip) SAME ((direction OR location) NEAR (determin\$5 OR find\$3 OR calculat\$3))) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 14:11
S10 6	98	S105 AND ((psap OR (public NEAR safety NEAR awareness NEAR point)) AND (extension OR number) AND (identification))	US-PGPUB; USPAT	OR	ON	2007/07/24 14:11
S10 7	0	S106 AND ((ippbx (ip-pbx) OR (ip NEAR pbx)) AND (discover\$3))	US-PGPUB; USPAT	OR	ON	2007/07/24 14:13
S10 8	8	S106 AND ((pbx) AND (discover\$3))	US-PGPUB; USPAT	OR	ON	2007/07/24 14:13
S10 9	129	("370"/\$.CCLS.) AND ((ip-pbx OR (ip NEAR pbx) OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 16:23
S11 0	36	("370"/\$.CCLS.) AND ((ip-pbx OR ippbx OR ip/pbx)) AND @ad<"20031205"	US-PGPUB; USPAT	OR	ON	2007/07/24 16:23